


# Conference on the Optical Internet 2003 and 28th Australian Conference on Optical Fibre Technology Melbourne, 13–16 July 2003



Proceedings were published by Engineers Australia

ISBN: 085825 739

The Australian Optical Society (AOS) has digitised the contents/index pages of this conference\*.

The conference volume contains the individual papers, and is held by one or more libraries in Australia; please refer to the website:

<http://optics.org.au/ACOFT>

Authors	Paper title	Page
J. Yates	A case for all-optical networks - challenges and requirements	MoA1-1
F. Safaei & P. Boustead	A network and server infrastructure for real-time composition of content	MoA1-2
S.G. Choi, Y.H. Yoo & J.K. Choi	Resource reservation scheme using rsvp in the metro area network including layer 2 switches	MoA1-3
I. Jung & J.K. Choi	Alternate path routing algorithm for short-lived traffic in MPLS network	MoA1-4
T. Takehara, H. Tode & K. Murakami	Dynamic path configuration method considering reliability in GMPLS	MoA1-5
K. Hinton	Histogram analysis for optical monitoring	MoB1-2
C. Leckie	Characterising optical amplitude histograms	MoB1-3
W. Lee, H. Park, H. S. Chung & H.J. Lee	Evolution of power & OSNR transient during add/drop in cascaded EDFA with/without AGC	MoB1-4
M. Bohocki, R. S. Tucker & A. Nirmalathas	Gain modulation of EDFA for path monitoring in optical networks	MoB1-5
B. Luther-Davies	Inorganic polymer glass (IPGTM)—materials development and device applications	MoC1-1
J. Katsifolis, J.D. Love, S. T. Huntington, A. Ankiewicz & L.W. Cahill	Criterion for minimisation of transition loss in a bent uniform Waveguide	MoC1-2
A. Holland, H. Mendis, A. Mitchell, S. Huntington, D.	Fabrication of polymer waveguide by direct plasma etching	MoC1-3



Simon, G. Amarasinghe, R. Shanks & M. Austin		
H.N.J. Fernando, J. Canning, L. Wosinski & T. Augustsson	Polarization conversion in transmission in planar add-drop MMI device: Band-pass and band-stop filter functions	MoC1-4
H.-W. Chong, A. Mitchell, M.W. Austin & T. Priest	Investigation of laser dicing for the demand of increased device packing density in LiNbO3 optical modulators	MoC1-5
H.N.J. Fernando, J. Canning, L. Wosinski, M. Dainese & T. Augustsson	Characterisation of grating-based planar add-drop MMI device on a silicon chip	MoC1-6
K.Hinton	Automatically switched optical networks	MoA2-1
R. Parthiban, R.S. Tucker & C. Leckie	Waveband grooming and IP integration in optical ring networks	MoA2-2
J. Cho, J. Yu, Y. Lee, M. Lee, K. Kim, S. Kim & J. Park	Multi-granularity (MG)-OXC network employing variable wavebands	MoA2-3
B. Le-Nguyen & H.M. Nguyen	Modeling of wavelength routing and assignment in GMPIS based DWDM optical networks	MoA2-4
M.H. Park, J.S. Choi, S.-H. Choi & Y.-H. Jeong	Load balanced wavelength routing algorithm for the layered-graph model	MoA2-5
L. Chao, C. Jian & L. Zhibong	Polarization mode dispersion mitigation using FEC	MoB2-1
S.S. Lee, H.W. Cho, S.K. Lim, & J.S. Ko	8 x 40Gbit/s unrepeated transmission over 180km of single mode fibre by using an electroabsorption modulator	MoB2-2
S.S. Lee, H.W. Cho, S.K. Lim, K.H. Han, J.S. Han, M.J. Chu, J.S. Ko, K.-M. Yoon & Y.-G. Lee	Field trial of the 40Gbit/s ETDM prototype over 219km of installed single mode fibre	MoB2-3
T. Miyazaki & F. Kubota	Simultaneous demultiplexing and clock recovery for 160 Gbit/s OTDM signal	MoB2-4
B. Le-Nguyen & K.-u Chang	Segmented Volterra series transmission model for ultra-high capacity nonlinear optical systems	MoB2-5
C.M. de Sterke, L.C. Botten, T.P. White, R.C. McPhedran, A.A. Asatryan & T.N. Langtry	Photonic bandgap effects as a basis for novel compact devices	MoC2-1
K. Lyytikäinen, J. Canning, J. Digweed & J. Zagari	Geometry control of air-silica structured optical fibres	MoC2-2
N.A. Issa, A. Argyros, M.A. van Eijkelenborg & J. Zagari	Hollow waveguide guidance in air-cored microstructured optical fibres	MoC2-3
A.A. Asatryan, L.C. Botten, T.P. White,	Modelling of complex waveguide structures embedded in photonic crystals	MoC2-4



C. M. de Sterke, R.C. McPhedran & T.N. Langtry		
S.T. Huntington, K. Lyytikainen & J. Canning	Analysis and removal of fracture damage from holey fibres	MoC2-5
J. Yates, G. Li & C. Kalmanek	Survivability issues in IP / optical networks	TuA1-1
H.Goh & J. Choi	On-demand restoration signaling with SRLG in GMPLS network	TuA1-2
H. Jeong, B. Kim, M. Kang & Y.-G. Lee	Load balancing in protection switching of optical networks	TuA1-3
H. Park, S.-H. Yang, W.-S. Lee & S.-H. Kim	Efficient resource sharing mechanism under the link restoration in optical networks	TuA1-4
L. Zhang & G.-S. Poo	A survivable migration algorithm of logical topology reconfiguration in IP over WDM networks	TuA1-5
M. Premaratne	Design tools for next generation optical networks— requirements and challenges	TuB2-1
A. V. Tran, C.-J. Chae & R.S. Tucker	A low-cost and efficient method to remove EDFA gain transients in optical packet /burst switching networks	TuB2-2
J. Lee, J.K. Choi & W.J. Song	Flow-based medium access algorithm on optical access node	TuB2-3
C.-J. Chae, A.V. Tran & R. S. Tucker	Flexible and scalable architecture of interconnected virtual multihop optical ring networks based on cyclic arrayed waveguide gratings	TuB2-4
S. J. Kim, S. G. Choi & J.K. Choi	Registration procedure in wireless optical metropolitan area network using IPV6 protocol	TuB2-5
M. Mancuso, G. Paltenghi & A. Pattavina	A practical perspective on the developments of next generation metro networks	TuB2-6
P. Shum	Passive mode-locked fiber ring laser	TuC2-1
M. Premaratne, S. Karunasekera & P. Premaratne	Analytical characterization of optical power and noise figure of forward-pumped Raman amplifiers	TuC2-2
Ya. Li, S.D. Jackson & S. Fleming	Output characteristics of high power Nd <sup>3+</sup> fibre laser	TuC2-3
H.J. Lee, Y.D. Jeong, H. Yoo & Y.H. Won	Low-cost Fabry-Perot laser diode for an external optical modulation and its application to WDM-PON	TuC2-4
J.L. Blows & C.M. de Sterke	Controlling crosstalk in optical parametric amplifiers	TuC2-5
G. Smith	Access and metro technologies for ethernet-based services, transport, and domain hand-off	TuA3-1
H.-K. Choi, C. Kim, K.-S. Han & T.-H. Yoo	1Gb/s Ethernet-PON MAC/PHY architecture and its implementation	TuA3-2
E.-S. An, J.-J. Cho, B.-S. Kim, S.-J. Jeong & C.-H. Youn	Dual DEB-GPS scheduler and its expansion for delay-constraint applications in E-PON	TuA3-3
S.-I. Choi, T.I. Kim & H.-H. Lee	Cyclic DBA over ethernet passive optical networks	TuA3-4



Y.-M. Kim, K.-H. Koo, H.-S. Park & M. Kang	A new OAM-based survivability algorithm for ethernet PON	TuA3-5
S. Radic	Interleaved bidirectional transmission: Architectures, impairments and performance	TuB3-1
Y. Awaji, N. Wada, T. Miyazaki, J. Inoue, F. Kubota, M.K. Jablonski, S.Y. Set & Y. Tanaka	A single channel 160-Gbps transmission experiment over 320-km in an application to metro-area-grid	TuB3-2
M. Koga, K. Suzuki, A. Sahara, T. Kawai, R. Sato & I. Ogawa	Demonstration of Q-factor improvement using an SOA-MZI 2R regenerator in a photonic bit-rate transparent network	TuB3-3
D.F. Hewitt	Design and performance of optical vestigial sideband (VSB) filters for 40 Gbit/s modulated systems	TuB3-4
Y.J. Wen, S.D. Dods & R.S. Tucker	Power level optimization of 40 Gbit/s DWDM systems with hybrid Raman/EDFA amplification	TuB3-5
J. Inoue & F. Kubota	Mid-span optical phase conjugation to compensate for signal distortion in optical fiber networks	TuB3-6
D.Y. Kim, Y. Park, N.H. Seong, Y.C. Youk, J.Y. Lee, S. Moon, I.H. Shin & H.S. Ryu	Optical measurement techniques for optical fiber and waveguide devices	TuC3-1
S. Tomljenovic-Hanic, J.D. Love, A. Ankiewicz & R. Bailey	Bend loss resistant, multiple-clad, single-mode fibres	TuC3-2
G.W. Slade & A. Mitchell	Modelling the neck-down region during the drawing of microstructured optical fibres using least squares finite element method	TuC3-3
Y. Zhao, S. Fleming, K. Lyytikainen & L. Poladian	Nondestructive measurement of two dimensional refractive index profile of noncircularly symmetric optical fibre preform	TuC3-4
Y. Zhao, S. Fleming, K. Lyytikainen & L. Poladian	Nondestructive measurement of two dimensional refractive index profile of noncircularly symmetric optical fibre preform	TuC3-4
P. Pace, K. Lyytikainen, S.T. Huntington, A. Roberts & J. D. Love	Characterisation of single dopant core fibres	TuC3-6
X. Dong, N.Q. Ngo, P.Shum, H.-Y. Tam & X. Dong	Widely tunable erbium-doped fiber ring laser by optimization of active fiber length	PO-1.1
Y. Gong	Study on output states of passively mode-locked fiber laser	PO-1.2
S. Law, S. B. W. J. Lai, L.N. Binh, P. Shum & Q.N. Ngo	Ultra-stable multi-giga-pulses/sec fibre mode-locked generator	PO-1.3
S. Law & S. Beddar	Capture of Cerenkov radiation generated on the axis of an optical fibre when the fibre axis lies on the Cerenkov cone	PO-1.4
Y. Li	Multi-wavelength conversion in Nd <sup>3+</sup> -doped germano-aluminosilicate fibre laser	PO-1.5
X. Luo, C. Zha & B. Luther-Davies	Synthesis of low-OH photosensitive ormosil polymers via anhydrous sol-gel process for integrated optics	PO-1.6



K. Lytykäinen, A. Carter, S. Fleming, S. Huntington & P. McNamara	Germanium diffusion during optical fibre drawing	PO-1.7
M. Shen & R.A. Minasian	Photonic generation of arbitrary waveforms	PO-1.8
M. Tang, Y.D Gong & P. Shum	A novel double-pass discrete Raman amplifier: Theoretical and experimental investigation	PO-1.9
S. Tomljenovic-Hanic & A. Ankiewicz	Effect of bend loss on photonic band gap propagation in waveguides	PO-1.10
A. Liu, C. Wu, Y. Gong, & P. Shum	Fused collinear 3x3 fiber coupler	PO-1.11
A. Ankiewicz, K. Maruno & N. Akhmediev	Nonlinear waves and solitons in optical lattices with gain and loss	PO-1.12
A. Ankiewicz, J. M. Soto-Crespo & N. Akhmediev	Translational invariance and stability properties of solitons in dissipative multiple waveguide structures	PO-1.13
G. Beliakov & S. Buckley	Reconstruction of the refractive index profile of planar waveguides using ray tracing analysis	PO-1.14
R.H. Chu & G. E. Town	Application of digital filter design techniques to thin-film filter synthesis	PO-1.15
H. An, T. Ryan, A. Canagasabey, P. McNamara & S. Fleming	Formation of Ge nanocrystals in germanosilicate optical fibre preforms	PO-1.16
J. Canning	Fibre grating insertion loss	PO-1.18
J. Canning, E. Buckley, N. Groothoff & S. Huntington	Laser sculpting and shaping of air-polymer structured fibres	PO-1.19
H.S. Cho, J.-Y. Eo, S. Kang, K. M. Chu, B.S. Rho, H.-H. Park, J.-S. Kim & J.-J. Kim	Integration of optical devices on a transparent substrate for chip levels optical interconnection	PO-1.20
C.M. Rollinson, S.A. Wade, N.M. Dragomir, A. Roberts, S.F. Collins & G.W. Baxter	Effect of the phase mask writing technique on higher order reflections of Type I and Type IIA Fibre Bragg Gratings	PO-1.21
S. Pal, T. Sun, K.T.V. Grattan, B. Dussardier, G. Monnom, S.A. Wade, G.W. Baxter & S.F. Collins	Use of a Bragg grating written into Er <sup>3+</sup> -doped tin-germanosilicate fibre for the simultaneous measurement of strain and a wide range of temperatures	PO-1.22
S.-U. Hong, J.S. Kim, J.H. Lee, H.-S. Kwack, W.S. Han & D.K. Oh	Control of emission wavelength of InAs quantum dots grown by molecular beam epitaxy on GaAs (100)	PO-1.23
J.S. Kim, J.H. Lee, S.U. Hong, W.S. Han,	1.55 $\mu\text{m}$ emission of self-assembled InAs quantum dots embedded in an InAl(Ga)As matrix	PO-1.24



H.-S. Kwack, C.W. Lee & D.K. Oh		
H.-S. Kim, J.-H. Kim, E.D. Shim, Y.S. Baek, K.H. Kim, O.K. Kwon & K.-R. Oh	All optical wavelength conversion in SOA-based Mach-Zehnder interferometer with monolithically integrated loss-coupled DFB probe source	PO-1.25
H.S. Kim, H.J. Kim, S.E. Hong, D.Y. Jeong & E. Nam	Fabrication and characteristics of InP SHBT and wave guide PD on double layers for OEMMIC	PO-1.26
J.-M. Lee, S.H. Oh, C.-W. Lee, H. Ko, S. Park, K.S. Kim & M.-H. Park	Fabrication of size-variable InGaAsP/InP two-dimensional periodic nanostructure using laser holography and reactive ion etching	PO-1.27
E. Ampem-Lassen, J.L. Peng, P. Pace, S.T. Huntington & A. Roberts	Axial phase imaging of optical fibre slices	PO-1.28
X.L. Tian, Y.D. Gong, W.J. Lai, P. Shum & N.Q. Ngo	Establishment of an actively AM mode-locked fiber ring laser and repetition frequency multiplication of mode-locked pulses	PO-1.29
A. Tikhomirov, S. Foster, M. Milnes, J. Van Velzen & G. Hardy	Acoustic and vibrational response of a DFB fibre laser sensor	PO-1.30
J.Q. Zhou, X.F. Yang, P. Shum, C. Lu, X. Guo & N.Q. Ngo	Spectral analysis of graded-index multimode fiber Bragg gratings	PO-1.31
Y. Zhu, P. Shum, P.L. Swart & B.M. Lacquet	A novel long-period grating refractometer	PO-1.32
D. Lee, M. Park, E. Sim & K. Kim	Planar buried heterostructure (PBH) semiconductor optical amplifier (SOA) integrated with double-core SSC	PO-1.33
S.-W. Ryu, J.-S. Sim, S.-B. Kim, Y.-D. Chung, J.-H. Lee & J. Kim	4-channel multi-wavelength laser array with integrated power combiner and SOA	PO-1.34
R.A. Jarvis & R.W. Boswell	Expansion of germanium doped silica films under UV irradiation	PO-1.35
M. Marciniak	Towards hybrid real-time & photonic packet network	WeA1-1
Z.-R. Zhang & W.-D. Zhong	Design of survivable WDM network using P-cycles	WeA1-2
Y. Sun, Y.E Guo, S. Sugawara, M. Miyauchi & T. Miki	Distributed restoration routing algorithm employing partial network information for mesh WDM networks	WeA1-3
J.-Q. Li, G.-S. Poo & W.D. Zhong	Degree of sharing for protection paths in WDM networks	WeA1-4
B.M. Song & H.S. Park	Shared sub-partial path protection in WDM networks	WeA1-5
N. Nadarajah, A. Nirmalathas & E. Wong	Packet labelling using electronic code division multiple access technique for WDM packet networks	WeB1-1

Y.-T. Lim, S.S. Min, H. Yoo, Y.H. Won, B.K. Kim & B.W. Kim	A novel error-free optical code-division multiple-access system using modified prime-hop codes and synchronization in transmitters	WeB1-2
T.-I. Chae, J.-W. Kim, H.-J. Lee & Y. H. Won	Novel scheme for increasing wavelength drift tolerance of an optical filter using nonlinear harmonic SCM	WeB1-3
S.-S. Min, Y.H. Won & B.W Kim	An optical code with the least multiple access interference under arbitrary restrictions for optical CDMA systems	WeB1-4
T. Moors & M. Veeraraghavan	Design of a transport protocol for bulk data transfer over optical lightpaths	WeB1-5
H.S. Nam, H.S. Lee, H.H. Lee & D.Y. Kim	A RPR fairness algorithm based on queue variation	WeB1-6
S. Fleming	Progress towards poled fibre devices	WeC1-1
R.W. McKerracher, J.L. Blows & C.M. de Sterke	Optimising wavelength conversion bandwidth in fibre parametric wavelength converters	WeC1-2
A. Argyos, I. Bassett, M. van Eijkelensborg & M. Large	Single-polarisation mode in air-core holey fibre	WeC1-3
J. Kim, J.J. Ju, M.-S. Kim & H.-S. Seo	Enhancing quasi-phase matching efficiency in periodic poling of an optical fiber	WeC1-4
J. Haywood	Optical fibre technologies for sensor applications	WeC2-1
J. Yang, S.C. Tjin & N.Q. Ngo	Chirped fiber grating based true-time-delay for phased-array antenna beam-forming	WeC2-2
Y. Liu, S. Fleming & H. An	Improvement of acoustooptic gratings based on the coupling to higher order cladding modes	WeC2-3
L.A. Bui, A. Mitchell, K. Ghorbani & T.-H. Chio	Wideband vector sum phase-shifter with minimal coherent interference	WeC2-4
A. Sahara, K. Shimano, Y. Takigawa & M. Koga	Optical burst data switching utilizing GMPLS signaling	WeA3-1
T.-W. Um, H.L. Vu, M. Zukerman & J. K. Choi	Resource negotiation signaling for OBS networks	WeA3-2
I.-Y. Hwang & H.-S. Park	Reliable just-enough-time: a novel approach for contention Resolution in optical burst switching networks	WeA3-3
T. Hashiguchi, X. Wang, H. Morikawa & T. Aoyama	Burst assembly mechanism with delay reduction for OBS networks	WeA3-4
J.-H. Ryou, I.-Y. Hwang, M.-H. Kim, H.-S. Park & M.-H. Kang	Control channel scheduling algorithm to support QoS in optical burst switching networks	WeA3-5
B.-C. Kim, Y.-Z. Cho & D. Montgomery	An efficient channel scheduling algorithm for preemption-based service differentiation in optical burst switching networks	WeA3-6
T. Kuri	Dense wavelength multiplexing and demultiplexing technologies for radio-on-fibre systems	WeB3-1
C. Lim, A. Nirmalathas, D.	Towards the merging of optical and wireless access technologies-fiber-wireless networks	WeB3-2



Novak & R. Waterhouse		
M. Bakaul, A. Nirmalathas & C. Lim	Dispersion tolerant novel BS optical interface for future WDM fibre-radio systems	WeB3-3
J. Yu, Y. Lee, J. Cho, M. Yoo & J. Park	Packet scheduling algorithm for WDM-based fiber-wireless access networks	WeB3-4
M. Attygalle, C. Lim & A. Nirmalathas	Characterisation of multiple mm-wave signals generated using a single modelocked monolithic semiconductor laser	WeB3-5
K. Kolossovski & R. Sammut	Multi-channel FBG gratings: recent progress and novel directions	WeC3-1
M.L. Aslund, J. Canning & C.M. de Sterke	Spatial phasemask and Bragg grating evaluation technique with 0.5ppm resolution	WeC3-2
M. Van Eijkelenborg	Long-period gratings in microstructured polymer fibres	WeC3-3
A. Canagasebey, J. Canning & N. Groothoff	Hypersensitisation in germanosilicate optical fibres through standard polymer coating	WeC3-4
D. Stepanov, A.V. Buryak, L.G. Edvell & M.G. Sceats	Real-time measurements of the fibre Bragg grating complex coupling coefficient in the fabrication process	WeC3-5
S.Y. Li, N.Q. Ngo, S.C. Tjin, P. Shum, J. Zhang & J.X. Huang	Development of tunable optical filter with switchable passband using linearly chirped fiber Bragg grating	WeC3-6
Y.J. Wen, H. Bao, S.D. Dods, R.S. Tucker & T.A. Nirmalathas	Advanced modulation formats for high capacity DWDM transmission	WeB4-1
D.-S. Lee, Yang J. Wen, A. Nirmalathas & M.S. Lee	Impact of dispersion map on performance comparison of advanced modulation formats in DWDM systems	WeB4-2
H. Toda, M. Nara, M. Matsumoto & D. Alzetta	PMD compensation experiment using distributed polarizers	WeB4-3
B.-H. Choi, M. Attygalle, S. Dods & Y.J. Wen	Dispersion map optimisation for 40 channel x 10 Gb/s transmission over 3000 km using standard SMF and EDFA amplification	WeB4-4
J.D. Love & A. Ankiewicz	A geometry-based wavelength multiplexer & demultiplexer	WeC4-1
T.G. Nguyen, A. Mitchell & Y.S. Visagathilagar	Optimal electrode configuration for resonantly enhanced modulators	WeC4-3
C.K.F. Ho, D.C.L. Gwee, Rajni, K. Pita, N.Q. Ngo & C. H. Kam	Fabrication and characterization of optical waveguide material by the inorganic sol-gel process	WeC4-4
D.A.P. Bulla, W.T. Li, C. Charles, R.W. Boswell & J.D. Love	Geometry effects upon the transmission loss in optical rib waveguides fabricated using chemical etching	WeC4-5
H. Dong, J.Q. Zhou, C.Q. Wu, Y.D. Gong, C. Lu & P. Shum	Eigenstates of polarization in a single-mode fiber and its application on measurement to polarization mode dispersion	PO-2.1



G.X. Ning, S. Aditya, P. Shum, C.Q. Wu & Y.D. Gong	A new relation between PMD vector and output state of polarization	PO-2.2
R. Parthiban, R.S. Tucker & C. Leckie	Determining the required number of ports for optical cross-connects in GMPLS networks	PO-2.3
Z. Wei, E.H. Sargent, H. Ghafouri-Shiraz & C.T. Hiang	Performance analysis of an optical spectral amplitude-coding CDMA system	PO-2.4
S.-C. Cho, B.K. Kim, Y.E. Yeon & B.-W. Kim	Fast tunable wavelength sources for optical packet switching	PO-2.5
J.Y. Choi, J.G. Kim, J.K. Choi, Y.W. Cha & M. Kang	GSMP-based connection management for optical burst switched networks	PO-2.6
H.S. Chung, S.H. Chang & H.J. Lee	Analysis of power transients in a combined gain controlled erbium-doped fiber amplifier with an optical delay line	PO-2.7
D.U. Kim, C.H. Choi, H.W. Jung & Y.S. Kim	Principle technologies for development of 10Gigabit Ethernet system	PO-2.8
P.-F. Hu & J.L. Blows	Two pump optical fibre parametric amplifier with low crosstalk	PO-2.9
Y.D. Jeong, H.J. Lee, H. Yoo & Y.H. Won	All-optical NRZ-to-PRZ converter at 10Gb/s based on self-phase modulation of Fabry-Perot laser diode	PO-2.10
S.-Y. Oh, H. Jeong, K. Long, M. Kang & R. Tucker	Data burst scheduling algorithm in optical burst-switched networks	PO-2.11
B.-S. Kim, S.-I. Myong, J.-C. Lee & J.S. Ko	Design and implementation of 10 Gbps optical add-drop transponder	PO-2.12
W.J. Lee, H. Cho, K.H. Han & J.S. Ko	40GHz clock generation using optical processing and the transmission distance enhancement scheme	PO-2.13
H.J. Lee, S. Wang, T.K. Jung, W.H. So & Y.C. Kim	A hybrid restoration scheme for optical burst switching networks	PO-2.14
H.-J. Lee, K.-Se. Cho, Y.-B. Kim, K.-C. Park	Automatic configuration of Optical Network using extended LMP MIB	PO-2.15
J.K. Lee, Y.H. Cho, S. Myong, J.C. Lee & K. Kim	Implementation of an 8-Ch GbE multiplexing transponder using Ethernet over SDH technology	PO-2.16
G.M. Lee, B. Wydrowski, M. Zukerman, B. Meini, J.K. Choi & C.H. Foh	Optical hybrid switching system for QoS provisioning	PO-2.17
H. Lee & Jun K. Choi	Optical network architecture and protocol for mobility support	PO-2.18
S.K. Noh, Y.B. Moon, B.H. Yae & S.H. Kim	An implementation of fault management using OOAD method in the OXC system	PO-2.19
H. Park, S.-C. Kim, S.-H. Yang & S.-H. Kim	Resource shared LSP restoration mechanism against simultaneous failures in optical networks	PO-2.20
M.-S. Ryu & H.-S. Park	RPC (Restricted P-cycle by Hamiltonian) considering QoP	PO-2.21
M.S. Sung, S.H. Kim, M.H. Kang & J.K. Choi	Group label based point-to-multipoint control in GMPLS networks	PO-2.22

Y.H. Cho, S. Myong, J.C. Lee, J.K. Lee & K. Kim	An application function design of digital wrapper overhead	PO-2.23
J. Han, S.S. Lee & M.- J. Chu	Stimulated Raman scattering-induced band-to-band crosstalk effects in WDM link	PO-2.24
Y.S. Jang & K.J. Kim	Influence of ASE noise on 2R O/E/O wavelength converter cascadability in transmission system with EDFA	PO-2.25
D. K. Kang, K.-H. Ahn & Y.-C. Kim	Design of LAN emulation function for Ethernet-PON	PO-2.26
J.-E. Keum, G.-J. Jin, C.-H. Youn, S. Jeong & B. H. Lee	Reconfiguration policy management based on cost model in optical wavelength routed networks	PO-2.27
M.-S. Kim, S.-H. Lee, D.-H. Song, J.-H. Kim, S.-S. Lee & J.-C. Lee	2.5 Gbps multi-channel tunable wavelength converter based on cross gain modulation in semiconductor optical amplifier	PO-2.28
S. Kim, S. Choi, M. Sung, J. Choi & M. Kang	Bi-directional bandwidth reservation mechanism for real-time traffic in GMPLS network	PO-2.29
H. Kim, J.K. Choi & S. Ahn	Generic packet rate algorithm for traffic control in optical network	PO-2.30
H.-S. Ko, S. Han, S.-G. Lee, M.-S. Lee & T.-W. Yoo	1.25Gb/s auto-gain control transimpedance amplifier with high sensitivity and wide dynamic range for the burst-mode optical receiver using a 0.18um CMOS technology	PO-2.31
S.-H. Kwak, C.-G. Lim, J.W. Youn, J.-H. Lee & M. Kang	Regulation of optical channel power using VOAS in transparent all-optical network	PO-2.32

\*AOS provides this document as a service to the community, but accepts no responsibility for any errors it might contain

