


Australian Conference on Optics, Lasers & Spectroscopy 1991

Canberra, 29 September - 4 October

The Australian Optical Society (AOS) has digitised the contents/index pages of this conference*.

The conference volume contains the individual papers, and is held by one or more libraries in Australia; please refer to the website: <http://optics.org.au/AOS-Conference>




| Authors (program lists presenting author only) | Title | Page |
|---|--|------|
| | Oral Sessions | |
| | MONDAY 30 SEPTEMBER | |
| M Kasha | Frew Lecture - invited: The proton-transfer laser | OA1 |
| RE Slusher | Invited: Spontaneous emission, lasers and four-wave mixing in semiconductor macrostructures | OB1 |
| H-A Bachor | Applications of squeezed light - the long way ahead | OB2 |
| CA Blockley | Quantum collapses and revivals in a quantised trap | OB3 |
| D Hope | Observation of bright quadrature squeezing in a cavity-atom system | OB4 |
| E Weigold | (e,2e) Spectroscopy and electron momentum distributions | OC1 |
| P Hannaford | High resolution laser spectroscopy of metal ions in a sputtered vapour | OC2 |
| IS Falcolner | An investigation of laser induced fluorescence in a small Tokamak | OC3 |
| RB Brown | Millimetre-wave jet-cooled microwave spectroscopy | OD1 |
| JM Dawes | Excited state proton transfer in jet-cooled 3-hydroxylavone and its complexes | OD2 |
| P Tronmsdorf | (not provided) | OD3 |
| G Hancock | Invited: Laser studies of chemical dynamics | OD4 |
| BJ Orr | Time-resolved optical double resonance spectroscopy: experimental techniques and molecular processes | |
| BL Chadwick | IR-UV and Raman-UV double resonance spectroscopy of rovibrational energy transfer in acetylene | OD6 |
| KGH Baldwin | Nonlinear VUV generation techniques for high resolution molecular spectroscopy | OD7 |
| EI Von Nagy-Felsobvki | A re-designed molecular beam/ups spectrometer | OD8 |
| RJ Ballagh | Spatial separation of polarization components governed by transverse optical pumping | OE1 |
| A C Wilson | Observation of separated, polarized ring structures induced by nonlinear beam reshaping | OE2 |
| PB Chapple | Near field scanning of a thin Kerr medium | OE3 |
| R Sammut | Propagation of spatial solitons in planar waveguide | OE4 |
| PG Browne | Nonlinear optics of monolayers | OE5 |
| C Smith | Measurements of phase singularities in the output of a visible laser | OE6 |



| | | |
|----------------------------|---|-----|
| E Jaatinen | Optical power transfer of single mode laser beams through distorting media using a semi-linear phase conjugate mirror | OE7 |
| M de Sterke | Generation of gap solitons | OE8 |
| TUESDAY 1 OCTOBER | | |
| MS El Sayed | Invited: On the mechanisms of solar energy storage by the other photosynthetic system in nature, bacteriorhodopsin | OF1 |
| K Ghiggino | Dynamics of energy relaxation in photoirradiated polymers | OF2 |
| KJ Smit | Effect of steric hindrance on the excited triplet state lifetime of some nitrated stilbenes | OF3 |
| T Lindsay | Sub-picosecond resolution of carrier relaxation phenomena in semiconductors | OF4 |
| M Sceats | Second-harmonic generation in optical fibres - the role of defects in symmetry breaking | OG1 |
| SC Goh | Optical transitions in Er ³⁺ - doped fluoro-zirconate fibre | OG2 |
| J Staromlynska | Photonic devices using liquid crystals | OG3 |
| J Williams | Some materials and processing issues in optoelectronic and photonic device structures | OG4 |
| KS Chiang | Analysis of optical waveguide arrays: A zigzag-wave approach | OG5 |
| YM Choi | Recirculating fibre-optics delay line | OG6 |
| RS Tucker | Invited: High-speed photonic devices and systems | OG7 |
| GA Heath | Electronic spectroscopy of electrochemically generated unusual oxidation states of metal complexes | OH1 |
| G Moran | Luminescence characteristics of Ru(bpy) ₃ ²⁺ and Os(bpy) ₃ ²⁺ - some unsolved problems | OH2 |
| BE Williamson | Magneto-optical spectroscopy of matrix-isolated metallophthalocyanines and metalloporphyrins | OH3 |
| H Reisen | Fluorescence line narrowing and hole-burning in inorganic complexes | OH4 |
| N Manson | Spectral holeburning, what's the use? | OH5 |
| R Stranger | Optical study of the near-infrared emission in the metal-metal bonded dimer Cs ₃ Mo ₂ Cl ₉ | OH6 |
| M Standage | The interface between quantum optics and collision physics | OH7 |
| WR MacGillivray | Coherence and radiation trapping effects in the laser excitation of the 6 ¹ P ₁ -6 ¹ D ₂ transition of Hg | OH8 |
| SG Boxer | Invited: Electroabsorption and emission spectroscopy of inorganic, organic and biological molecules | OH9 |
| R Falcone | Invited: X-rays from the interaction of intense, ultrashort laser pulses with solids and gases | O11 |
| J Piper | Studies of beam quality and non-linear frequency conversion of high average power pulsed metal lasers | O12 |
| B Luther-Davies | A high power, mode-locked, Q-switched, cavity-dumped, diode-pumped Nd:YAG Laser for ranging applications | O13 |
| S Todd | Mode-locking titanium:Sapphire: The Kerr lens effect | O14 |
| K Hinton | Resonance structures in Fabry-Perot semiconductor laser amplifiers | O15 |
| JM Dawes | Q-Switched diode-pumped Nd:YAG lasers | O16 |
| WEDNESDAY 2 OCTOBER | | |
| D Hanna | Invited: Solid state waveguide lasers - fibre and planar | OJ1 |
| G Summy | Photon deflection of an atomic beam: a new method for the determination of complete scattering parameters for inelastic electron-atom collisions | OK2 |
| L Poladian | Manipulating light beams in nonlinear media | OK3 |
| A Roberts | Photo-electron holographic imaging | OK4 |
| HN Chapman | X-ray optics using capillary arrays | OK5 |



| | | |
|--------------|---|------|
| D Kane | Phase modulated semiconductor lasers | OK6 |
| P Fisk | A new project to develop a microwave frequency standard based on trapped, laser cooled Yb ⁺ ions | OK7 |
| AW McCord | Spatio-temporal switching in a ring cavity containing multistate atoms | OK8 |
| I Atkinson | REMPI spectroscopy of involatile molecules via laser desorption | OL1 |
| I Jamie | Neutron inelastic scattering spectroscopy quantum-mechanical rotational tunnelling in C ₂₈ Cs(NH ₃) _x | OL2 |
| AP Pierlot | Chemical analysis by microwave spectroscopy | OL3 |
| JR Reimers | Theoretical models for the electro-absorption (Stark) spectroscopy of transition metal complexes | OL4 |
| G Wilson | Excimer and exciplex intermediates in anthracene photodimers | OL5 |
| HW Schranz | Intramolecular energy transfer and torsional dynamics in small molecules | OL6 |
| AP Willis | Velocity-changing collision pedestals in laser saturation spectroscopy | OL7 |
| | THURSDAY 3 OCTOBER | |
| CJ Cogswell | High resolution confocal transmission microscopy | OM1 |
| P Gray | Anglo-Australian Telescope's wide field prime focus - the 2dF | OM2 |
| GK Larkin | Design considerations for a high precision projected fringe optical profiler | OM3 |
| BF Oreb | Optical surface profiler for the minting industry | OM4 |
| AJ Studer | Fizeau interferometry as a method for time resolved spectral line profile measurement | OM5 |
| P Fairman | Optical surfacing profiling using phase shifting interferometry | OM6 |
| N Brown | A homodyne laser interferometer with Doppler compensation | OM7 |
| P Simmenauer | Fabrication of corner cube prisms | OM8 |
| T Miller | Invited: The spectroscopy, structure, and bonding of complexes involving reactive radicals | ON1 |
| AEW Knight | Spectra and structure of aromatic-rare gas cluster ions | ON2 |
| L Radom | A theoretical approach to chemistry of ion dimers | ON3 |
| JB Peel | Electronic and geometric structures of molecular cluster - ions: N ₄ ⁺ and O ₄ ⁺ | ON4 |
| R Watts | Angular distribution of sputtered neutrals measured by laser-induced-fluorescence | ON5 |
| R Weinkauff | Ion spectroscopy by resonant photodissociation: test of new methods at A-X transitions in OCS | ON6 |
| D McNaughton | High resolution Fourier transform infrared spectroscopy in a supersonic jet expansion | ON7 |
| G Fischer | Vibronic coupling in pyrazine singlet and triplet spectra | ON8 |
| N Hush | Rapid electronically forbidden but vibronically allowed electron transfer through saturated bridges | ON9 |
| R Gilbert | The azulene story and understanding collisional energy transfer | ON10 |
| MA Collins | Fermi resonance and IVR | ON11 |
| H Welling | Invited: The laser Zentrum Hannover a link between university and industry | O01 |
| MJ Johnson | Applications of a tunable, injection-seeded B-barium borate optical parametric oscillator | O02 |
| Brandt M | Laser cleaning of narrow bore holes | O03 |
| L Whitbourn | Application of a rapidly tuned CO ₂ laser system to airborne remote sensing of minerals | O04 |
| PE Ciddor | Some recent activities in laser interferometry | O05 |
| B Duval | Application of optical sensing in basic oxygen steelmaking (BOS) process | O06 |
| RS Seymour | Laser devices and non-linear optics | O07 |
| R Mildren | Investigation of the kinetics of a pulsed barium vapour laser using the hook method | O08 |




| | | |
|----------------------|--|------|
| RP Cooney | Colloids, catalysts, surfactants, radical-films and drug interactions: Raman spectroscopy-microscopy & FT-IR spectroscopy in surface science | OP1 |
| R Frost | Fourier transform Raman spectral analysis of Kandite clays | OP2 |
| H Rubinsztein-Dunlop | Laser spectroscopic techniques for trace element analysis | OP3 |
| BW James | Measurement of electric field in gas discharges by laser induced fluorescence | OP4 |
| | FRIDAY 4 OCTOBER | |
| LR Marshall | New generation diode pumped frequency agile lasers | OQ1 |
| J Munch | Large collimator using holographic correction of an imperfect primary mirror | OQ2 |
| JD Love | Design and fabrication of silica planar optical waveguides & devices | OQ3 |
| WS Jagger | The optics of the spherical fish lens | OQ4 |
| W Wright | Planar array optics - implementation and application at far infrared wavelengths | OQ5 |
| CJR Sheppherd | Invited: Confocal laser microscopy | OQ6 |
| GJ Milburn | Reduction in laser intensity fluctuations by a feedback controlled output mirror | OR1 |
| D Pegg | Phase-sum states, number-difference states and two-mode squeezing | OR2 |
| T Ralph | Squeezed light from lasers | OR3 |
| B Sanders | Quantum limits to phase-shifts in Kerr nonlinear medium | OR4 |
| P Edwards | Quantum correlations between photon number and electron number fluctuations in laser and light-emitting diodes | OR5 |
| S Chu | Optical Society Lecture: Experiments with atomic fountains | OS1 |
| | MONDAY POSTER SESSION | |
| R Oermann | A medium resolution imaging spectrometer | PM1 |
| RC Tobin | Parametric studies of a copper hollow anode cathode laser | PM2 |
| YH Ja | On the difference between the finesses of the circulating and output intensities of fibre ring and loop resonators | PM3 |
| A Leistner | Fabrication and measurement of precision spheres | PM4 |
| M Gu | Investigation of the effects of aberrating layer on axial imaging in confocal microscopy | PM5 |
| E Krausz | Interligand interactions in the Series [Ir(bpy) (phen) _{3-x}] ³⁺ | PM6 |
| I Pearson | Visualisation of combustion species and fluid flow structures | PM7 |
| GA Bielig | Depolarisation of calcium and sodium by collisions with rare gases | PM8 |
| D Farrant | Spatial light modulators for optical Fourier processing | PM9 |
| D Proctor | Co-visualization of NO & OH FLIF images produced in combustors | PM10 |
| TP Mernagh | Laser Raman microprobe studies of elements and minerals at high pressures | PM11 |
| J Taylor | A noncontact laser system for mapping sail surface topography | PM12 |
| JG Haub | Third-order optical nonlinearities of solutions of a series of transition metal poly-yne compounds | PM13 |
| H-D Barth | Coherent rotational and vibrational Raman spectroscopy of CO ₂ clusters | PM14 |
| AP Milce | IR-UV double resonance spectroscopy of rotational energy transfer in formaldehyde-d ₂ | PM15 |
| J O'Byrne | Adaptive optics using wavefront curvature sensing | PM16 |
| D Jones | The optical design of infrared reimagers for the 2.3 meter telescope at the ANU Siding Spring Observatory | PM17 |
| D McNaughton | FTIR study of the pyrolysis and photolysis of Dihalomaleiu anhydrides | PM18 |



| | | |
|-----------------|---|------|
| AHA Clayton | Dynamics of photoinduced electron transfer in rigidly linked donor-acceptor molecules | PM19 |
| PG Spizzirri | Design and application of a novel time resolved confocal fluorescence microscope | PM20 |
| W Wright | The development of a high Tc superconducting bolometer for the far infrared region | PM21 |
| D Butler | Investigation of optical fibres using scanning nearfield optical microscopy | PM22 |
| D Abbott | Aberration measurement using defocused point spread functions | PM23 |
| K Grant | Interactive programme for interrogating databases of rare gas atomic transition probability data | PM24 |
| K Grant | Characteristics of a He-Xe laser operation in the 4 nm atmospheric window | PM25 |
| Y Man Choi | A 12 GHz high-speed fibre-optic link | PM26 |
| M Dutton | The effect of continuum-continuum transitions on laser-induced continuum structures: strong field excitation | PM27 |
| J Ramsay | Application of high repetition rate pulsed lasers in flow cytometry | PM28 |
| JK Sztaba | The n, π^* transitions of n -heterocyclics using dispersion induced circular dichroism (DICD) | PM29 |
| RJ McLean | High-resolution spectroscopy with external cavity diode lasers | PM31 |
| D Gough | Doppler free laser saturation spectroscopy of Pb in the near ultra violet | PM32 |
| RM Lowe | Fe II lifetimes and the solar abundance of iron | PM33 |
| T Oldham | Matrix dependence of phonon wings and tetracene doped alcoholic glasses using site selection spectroscopy | PM34 |
| RAM Maddever | Laser radar time-of-flight signals | PM35 |
| SD Jackson | Nd:YAG Laser transversely pumped by a diode array | PM36 |
| B Luther-Davies | Pulsations and chaos in laser-produced plasmas | PM37 |
| Y Wang | Highly efficient second harmonic conversion of psec Nd laser pulses using group velocity mismatched frequency doubling in KDP | PM38 |
| JA Hermann | Beam shape sensitivity of Z-Scan | PM39 |
| A McInnes | Erbium-glass laser development | PM40 |
| J Staromlynska | Optical properties of platinum ethynyl | PM41 |
| J Staromlynska | Design of tunable filters for maximum contrast ratio | PM42 |
| Y Zhao | Modelling two-level rare-earth doped fibre lasers | PM43 |
| I Jamie | A reflectometer for the Australian National Beam-Line Facility | PM44 |
| McGilvery D | Designing an instrument for laser ablation studies using macsimion V2.0 | PM45 |
| FM Rodgers | Chemical analyses performed with the millijet analytical microwave spectrometer | PM46 |
| LD Hatherley | A study of the gas phase tautomeric equilibrium of 2-pyridone and 2-hydroxypyridine by microwave spectroscopy | PM47 |
| S Lane | Discrete variable representations and large amplitude motions | PM48 |
| RPA Bettens | Molecular structure, rotational constants and quadrupole coupling constants of the Halon BCFR.P.A. | PM49 |
| DN Bruget | High-resolution Fourier transform infrared spectroscopy of thioformaldehyde | PM50 |
| GF Metha | Vibronic analysis of the $3s-n$ Rydberg transition of propanol via R.E.M.P.I. | PM51 |
| R Frost | FT-Raman studies of substituted barium titanate powders | PM52 |
| MJ Sellars | Coherent transient and holeburning measurements in rare earth systems using an ultra-high resolution dye laser | PM53 |
| D Death | Linear optical spectroscopy as a diagnostic technique for industrial combustion processes | PM54 |



| | | |
|---------------------------------|---|------|
| TH Nguyen | Laser induced fluorescence of coal | PM55 |
| TH Nguyen | Ziegler-Natta polymerization by laser-desorbed Co ⁺ in gas phase | PM56 |
| C Savage | Parametric amplifiers in phase noise limited optical communications | PM57 |
| C Savage | Applications of squeezed light | PM58 |
| K-I Hibino | Simple diffraction gratings: analysis and interferometric tests | PM59 |
| Q Li | Spatial shaping of an atomic beam in a strong, standing wave laser lightfield | PM60 |
| MF O'Dwyer | Franch-Condon effects on the breakdown of the BornOppenheimer approximation | PM61 |
| HW Schranz | Collisional energy transfer and unimolecular reactions: pressure, temperature and composition dependence | PM62 |
| KW Butz | Observation of aromatic-rare gas cationic clusters | PM63 |
| AJ Bradley | Direct observation of silicon (3P) following state-selected photofragmentation of A1B1 silylene | PM64 |
| WEDNESDAY POSTER SESSION | | |
| M Gu | Two and three dimensional image formation in a fibre-optical confocal scanning microscope | PW1 |
| A Liebman | Modulational instability in birefringent optical fibres | PW1 |
| JD Cresser | Quantum field model of injected atomic beam in the microlaser | PW2 |
| AW McCord | Spatial symmetry breaking of a vector wave | PW3 |
| T Win | Transients in the 15NH ₃ ring laser | PW4 |
| R McDuff | A generalized description of self-focussing in thin nonlinear media | PW5 |
| C Smith | Generation of optical phase singularities by computer generated holograms | PW6 |
| T Amberyn | The development of the planar laser induced fluorescence technique for the studies of nitric oxide in T4 shock tunnel | PW7 |
| P Barker | A study of natural fluorescence in a shock tunnel | PW8 |
| K Finnie | Anomalous MCD of the ruthenium blues | PW9 |
| RG Rothwell | Models for molecular cluster photoionisation | PW10 |
| HW Kang | A spectroscopic study of Cyano complexes of RU(III) | PW11 |
| YH Ja | A three-coupler fibre loop resonator with two fibre mirrors | PW12 |
| J Martin | Effects of level anticrossing on high resolution laser spectroscopy in Ho ³ doped crystals | PW13 |
| W Sandle | Observation of optically bistable Raman lines in a commercial helium neon laser | PW14 |
| BA See | The design of resonators for high average power Nd:YAG lasers | PW15 |
| BA See | Launch and delivery system design for high average power Nd:YAG lasers | PW16 |
| R Walmsley | Investigation of the operation of a solid dye Q-switched Nd:YAG laser | PW17 |
| BA See | The minimum mode volume for end pumping | PW18 |
| A Pugatschew | Efficacy of treatment of port wine stains with a copper bromide laser | PW19 |
| A Pugatschew | The design of intrinsically safe laser alignment equipment for applications in hazardous atmospheres | PW20 |
| M Newell | Analysis of high-gain carbon-dioxide lasers producing annular output profiles | PW21 |
| RJ Carman | A self-consistent computer model for the discharge kinetics in a pulsed mid-infrared barium vapour | PW22 |
| I Mendes | Simple structures for single longitudinal mode operation of a Nd:YAG laser | PW23 |
| BJ Tarte | Competition at 430.54162 nm in a strontium-ion recombination laser | PW24 |
| Q Zhu | Resonant enhancement nonlinear generation in monolayers | PW25 |
| M Withford | Investigation of trace gas impurity effects in copper vapour lasers | PW26 |
| RJ Ballagh | Effects of scattered radiation on degenerate four wave mixing | PW27 |



| | | |
|---------------|---|------|
| H Pask | A laser-induced-perturbation experiment for investigating the operating characteristics of a pulsed barium vapour laser | PW28 |
| HW Schranz | Comparison of variational transition state theory and trajectory calculation for the simple bond fission of microcanonically highly excited SiH ₂ and Si ₂ H ₆ | PW29 |
| HW Schranz | An efficient microcanonical sampling procedure | PW30 |
| HW Schranz | Statistical and nonstatistical behaviour in unimolecular reactions | PW32 |
| H Kim | Comparison of absorption spectroscopy and hook interferometry for the measurement of neutral atom densities | PW33 |
| P King | Expanded beam pumping of optically pumped submillimeter lasers | PW34 |
| P King | Hybrid metal dielectric input couplers for optically pumped submillimetre lasers | PW35 |
| L Montuno | Spectroscopic determination of the electric field in the cathode fall region of a gas discharge | PW36 |
| JL Gardner | Intercomparison of responsivity at optical communications wavelengths | PW37 |
| IR Gentle | Scanning tunneling spectroscopy of intercalated graphite | PW38 |
| RA Pax | Quantitative NIR investigation of sugars | PW39 |
| L Dubicki | EPR of metal ions with the 125 configuration | PW40 |
| A White | Automatic alignment and mode-matching of a laser beam to an optical resonator | PW41 |
| CC Harb | Applications for an externally stabilized dye laser | PW42 |
| E Weigold | Energy shifts in argon Auger electrons due to post collision in | PW43 |
| E Weigold | Electron momentum spectroscopy of laser-excited and oriented atoms | PW44 |
| P Leo | Temperature dependence of collisionally broadened singlet and triplet lines of helium | PW45 |
| D Hope | Absorptive and dispersive bistability in barium | PW46 |
| A Stevenson | Optical phase sensors operating at the quantum noise limit | PW47 |
| DG Humphrey | Charge-transfer and near-infrared spectra of mixed halide/nitrile/ carbonyl osmium complexes - additive and non-additive ligand ejects | PW48 |
| RG Raptis | The spectra-electrochemistry of binuclear rhenium complexes | PW49 |
| X Yang | On the development of fundamental dark spatial solitons | PW50 |
| D Pulford | Coherent anti-Stokes Raman scattering in high enthalpy hypersonic flows | PW51 |
| P Kinsler | Maximal squeezing in second harmonic generation: Quantum versus semiclassical | PW52 |
| NE Rigby | Spectral holeburning in emerald | PW53 |
| M Gagen | The quantum zero effect and quantum nondemolition measurement of photon number | PW55 |
| M Joyce | A study of photoreflectance excitation spectroscopy at various temperatures using in GaAs/GaAs quantum wells | PW56 |
| Z Ficek | Pairwise atomic states | PW57 |
| B Ward | Phase shift interferometry with visible laser diodes | PW58 |
| A Rode | Geometrical optics of arrays of reflective surfaces | PW59 |
| G Opat | The Lloyd's mirage as atom interferometer | PW61 |
| HT Tran | Stability of modes in nonlinear planer waveguides | PW61 |
| A Weigold | Soft x-ray pumping systems in Cd and Mg | PW61 |
| AD Ernst | CS-Laser induced perturbation of weakly ionised plasmas | PW61 |
| JD Harvey | Birefringent optical fibre lasers | PW61 |
| JD Harvey | Spectral characteristics of a coherently mode-locked laser | PW63 |
| JL Holdsworth | Laser direct writing of thin platinum films on Si/SiO ₂ | PW64 |
| I Atkinson | Theoretical study of internal rotation in an amino acid: phenylalanine | PW65 |

*AOS provides this document as a service to the community, but accepts no responsibility for any errors it might contain.

