

Australian and New Zealand Conference on Optics and Photonics 2015

Adelaide, 29 November - 3 December

ISBN 978-1-922107-66-4

The Australian Optical Society (AOS) is pleased to provide the contents/index pages of this conference*.

The conference program contains the individual paper summaries, and full ACOFT papers are with Informit (www.informit.org); please refer to the website: <http://optics.org.au/AOS-Conference>



| Authors | Title | Page in Program (Informit number) |
|---|---|-----------------------------------|
| | MONDAY 30 NOVEMBER | |
| U Keller | Frew Lecture: Attosecond ionization dynamics and time delays | 21 |
| J Bland-Hawthorn | AOS Medal Lecture: Astrophotonics: Future of astronomical instrumentation | 20 |
| | Fibre Optic Sensing 1 | |
| R Lieberman | SPIE President-elect Lecture: Optical fiber sensors – submicron to suprakilometer | 23 |
| M Knowles, C Davis, N Rajic, J Choi & G Swanton | Distributed strain sensing using optical fibres | 37 |
| B Gibson | Invited: Hybrid nanodiamond-doped photonic sensors | 23 |
| S Foster, J Harrison & D Bulla | A magnetostrictive fibre laser magnetometer | 40 |
| | Atom Optics 1 | |
| KGH Baldwin, BM Henson, RI Khakimov, RG Dall, L-Y Tang & AG Truscott | Precision measurement of tune-out wavelengths in metastable helium: a test of QED | 36 |
| P Dyke, K Fenech, T Pepler, M Lingham, S Hoinka, P Hannaford & CJ Vale | A kinematically 2D interacting Fermi gas | 38 |
| JL Everett, GT Campbell & Y-W Cho | Stationary light in an atomic Raman memory | 35 |
| P Surendran, Y Wang, T Tran, I Herrera, S Whitlock, R McLean, A Sidorov & P Hannaford | Quantum simulation with ultracold atoms in a magnetic lattice | 38 |
| RI Khakimov, AG Manning, RG Dall & AG Truscott | Wheeler's delayed choice experiment with matter waves | 39 |
| D Murphy, AJ McCulloch, RE Scholten & BM Sparkes | Rydberg blockaded cold ion beams | 33 |
| | Fibre Optic Chemical Sensing | |
| A Francois | Invited: Biosensing using microspheres at the end of fibres | 22 |



| | | |
|---|--|---------|
| M Nazari, MR Hill, MC Duke, F Sidiroglou & SF Collins | Aqueous contaminant detection via a metal organic framework thin film coating on an optical fibre end-face | 41 (6) |
| A Zuber, M Purdey, E Schartner, C Forbes, B van der Hoek, D Giles, A Abell, T Monro & H Ebendorff-Heidepriem | Gold rush with an optical fibre | 31 (20) |
| T Reynolds, A François, N Riesen, JMM Hall, SV Afshar, SJ Nicholls & TM Monro | A fibre tip whispering gallery mode biosensing platform | 41 |
| E Klantsataya, A François, H Ebendorff-Heidepriem, P Hoffmann & TM Monro | Surface plasmon scattering in exposed core optical fiber for enhanced resolution refractive index sensing | 33 |
| Quantum Optics 1 | | |
| BA Bell, C Xiong, A Casas-Bedoya & BJ Eggleton | Single photon level frequency conversion in a silicon nanowire | 33 |
| X Zhang, A Mahendra, J He, D-Y Choi, CJ Chae, D Marpaung, PHW Leong, BJ Eggleton & C Xiong | Time-bin entanglement in compact and reconfigurable silicon nitride photonic circuits | 41 |
| S Kocsis, MJW Hall, AJ Bennet, DJ Saunders & GJ Pryde | Experimental measurement-device-independent quantum steering | 34 |
| JF Corney, MJ Tacey & MK Olsen | Creating non-Gaussian entanglement in optical fibre | 35 |
| J He, BA Bell, A Casas-Bedoya, Y Zhang, AS Clark, C Xiong & BJ Eggleton | Integrated silicon photonic degenerate photon pair quantum splitter | 35 |
| K Helmersen & S Tempone-Wiltshire | Single photon vortex knots | 36 |
| Fibre Lasers | | |
| S Tokita | Invited: High power 3 μm erbium fiber lasers and their applications | 27 |
| J Leger | Invited: The physics of coherent fiber laser beam combining | 25 |
| A Malouf, O Henderson-Sapir & DJ Ottaway | Modelling of a 3.5 μm dual-wavelength pumped fibre laser | 32 |
| E Mottay, F Guichard, G Machinet, Y Zaoute, C Hoenninger & Q Mocaer | High-energy sub-50 fs pulses via nonlinear compression in hypocycloid-core Kagome fiber | 38 |
| Atom Optics 2 and Spectroscopy | | |
| SS Undurti, WC Wallace, O Ghafur, JE Calvert, C Khurmi, DE Laban, MG Pullen, AN Grum-Grzhimailo, D Wells, HM Quiney, XM Tong, IV Litvinyuk, RT Sang, K Bartschat & D Kielpinski | Measuring strong-field photo-ionization and laser intensity with percent level accuracy | 39 |
| K Fenech, P Dyke, T Pepler, MG Lingham, S Hoinka, H Hu & CJ Vale | Thermodynamics of a 2D Fermi gas | 33 |
| RW Speirs, CT Putkunz, AJ McCulloch, KA Nugent, BM Sparkes & RE Scholten | Single-shot electron diffraction using a cold atom electron source | 39 |
| BM Sparkes, RJ Taylor, D Murphy, RW Speirs, AJ McCulloch & RE Scholten | Brightness enhancement of a cold ion source using stimulated Raman adiabatic passage | 32 |



| | | |
|---|--|---------|
| HP Griesser, C Perrella, AN Luiten, R Kostecki & PS Light | Strong nonlinearities with suspended-core fibre | 34 |
| AM Akulshin, I Novikova, EE Mikhailov, SA Suslov & RJ McLean | Topological charge transfer in stepwise-excited Rb vapour | 39 |
| TUESDAY 1 DECEMBER | | |
| S Yamashita | Plenary: Carbon nanotube and graphene photonics | 21 |
| ACOFT Photonic Devices 1 | | |
| C Xiong | Invited: Multiplexing of heralded single photons | 24 |
| P Fejes, J Li, BC Quirk, D Lorensen, DD Sampson & RA McLaughlin | A fibre-optic imaging probe incorporating a 3D printed lens | (12) |
| A Blanco-Redondo, I Andonegui, MJ Collins, G Harari, Y Lumer, MC Rechtsman, BJ Eggleton & M Segev | Observation of waveguiding by topological defects in a silicon photonic platform | 32 (5) |
| IS Maksymov & AD Greentree | Third harmonic generation and ultrasound detection with long dipole plasmonic antennae | 34 |
| WQ Zhang, WAW Razali, V Sreenivasan, TM Monro & D Taylor | Universal optical fibre fluorescence sensing platform for wine monitoring | 41 |
| DY Stepanov | All-fibre tunable waveplate for polarisation control | 33 (17) |
| G Tsiminis, JL Brooks, TM Monro & MR Hutchinson | Towards an optical fibre sensor for monitoring vitamin B12 in blood | 34 |
| Nonlinear Optics | | |
| A Ankiewicz & N Akhmediev | Multi-rogue waves and triangle numbers | 31 |
| A Casas-Bedoya, B Morrison, M Pagani, D Marpaung & BJ Eggleton | Tunable RF filter enabled by stimulated Brillouin scattering (SBS) in silicon | 31 |
| B Morrison, K Vu, A Choudhary, B Luther-Davies, SJ Madden, D Marpaung, & BJ Eggleton | 50 dB Brillouin gain in chalcogenide waveguides | 32 |
| J Schmiedmayer | Invited: Does an isolated quantum system relax? | 25 |
| H Xu, X Wang, A Atia-Tul-Noor, D Kielinski, RT Sang & IV Litvinyuk | Timing electron localization in dissociating H ₂ ⁺ | 34 |
| H Xu, F He, D Kielinski, R Sang & I Litvinyuk | Double-peak structure of R-dependent enhanced ionization rate of H ₂ ⁺ | 34 |
| Atia-Tul-Noor, H Xu, X Wang, R Sang & I Litvinyuk | Dissociative double ionization of acetylene in strong laser field | 32 |
| ACOFT Photonic Devices 2 | | |
| A Willner | OSA President-elect Lecture: High-capacity free-space optical communications using multiplexing of multiple orbital-angular-momentum modes | 22 |
| A Mahendra, C Xiong, X Zhang, BJ Eggleton & PHW Leong | Dynamic thermal control scheme on silicon nitride photonic integrated circuits | 32 (11) |
| TH Chan, K Amir, WQ Zhang, Q Zhang & Shahraam Afshar V | Characterisation of noise and loss in optical fibres in nonlinear frequency domain | 41 (19) |
| DD Hudson | Invited: Photonic chip platforms for supercontinuum generation in the mid-IR | 24 (10) |
| K Amir, WQ Zhang, Q Zhang, TH Chan & Shahraam Afshar V | Noise effect on the nonlinear Fourier transform | 36 (3) |
| A Tikhomirov & S Foster | CO ₂ laser fibre taper profiling for splice-free fibre laser arrays | 31 |
| Spectroscopy | | |



| | | |
|---|---|---------|
| A Klenner, M Mangold, AS Mayer, AR Johnson, D Waldburger, SM Link, M Golling, E Gini, BW Tilma, K Luke, MRE Lamont, Y Okawachi, M Lipson, AL Gaeta & U Keller | Gigahertz laser frequency combs | |
| JD Anstie, SK Scholten, N Bourbeau Hébert, RT White, J Genest & AN Luiten | Invited: A flexible platform for quantitative frequency-comb spectroscopy | 25 |
| SK Scholten, N Bourbeau Hébert, RT White, J Genest, JD Anstie & AN Luiten | Broadband phase-sensitive frequency-comb spectroscopy using a virtually imaged phased array | 40 |
| J Dong, TT-Y Lam, R Fleddermann, Y Guan, CP Bandutunga, DE McClelland, MB Gray & JH Chow | Polarisation impedance matching spectroscopy – a new method for cavity enhanced gas sensing | 35 |
| R Fleddermann, WM Lee, G Campbell, PK Lam, JH Chow & DE McClelland | Compact 40 kHz delay line with cascading multi-level phase plate for low coherence interferometry | 39 |
| Ya J Guan, CP Bandutung, J Dong, R Fleddermann, TT-Y Lam, MB Gray & JH Chow | Double pass cavity enhanced absorption measurement with scattering minimisation | 42 |
| | ACOFT Photonic Devices | |
| S Gross | Invited: Laser-written 3D integrated photonics | 27 |
| N Riesen, S Gross, JD Love & MJ Withford | Three-dimensional C+L band and EDFA pump band integrated tapered mode couplers | 38 (14) |
| DJ Little, A Arriola, MJ Withford & DM Kane | Interfacing spider silks with ultrafast-laser written integrated optics | 33 |
| CA Whittaker, H Ebendorff-Heidepriem, NA Spooner & D Ottaway | Fabrication of polymer optical fibres for radiation sensing | 33 (18) |
| RJ Williams, J Nold, M Strecker, O Kitzler, A McKay, T Schreiber & RP Mildren | Highly-efficient frequency conversion of high-power fiber lasers in diamond | 39 |
| | Instrumentation | |
| LE Roberts, RL Ward, SP Francis, R Fleddermann, S Raj, C Smith, DE McClelland & DA Shaddock | Increasing the laser power of space debris laser ranging systems using an optical phased array | 37 |
| SP Francis, RL Ward, DE McClelland & DA Shaddock | Development of an alignment insensitive displacement interferometer | 39 |
| KU Hii | Multiple-pass lateral shearing interferometer | 36 |
| PS Light, AP Hilton, RT White, C Perrella, JD Anstie, JG Hartnett, G Santarelli & AN Luiten | Bidirectional microwave and optical signal dissemination | 32 |
| V Michaud-Belleau, PS Light, RT White, H Bergeron, NB Hébert, J-D Deschênes, AN Luiten & J Genest | Laser frequency noise measurement using a passive coherent discriminator | 38 |
| J Canning, M A Hossain, K Cook & A Jamalipour | Smartphone spectrometers | 35 |
| | WEDNESDAY 2 DECEMBER | |
| A Brooks | Plenary: Advanced LIGO: from concept to operation and beyond | 19 |
| | FBG Sensing | |



| | | |
|---|---|---------|
| F Parent, KK Mandal, S Loranger, S Martel, S Kadoury & R Kashyap | Invited: Shape sensing with optical fibres: the present and the future | 26 |
| H Shi, J Gong, JW Arkwright, AW Papageorgiou, MF Lambert, AR Simpson & AC Zecchin | Transient pressure measurement in pipelines using optical fibre sensor | 34 (16) |
| A Ruiz-Vargas, M Costa, L Wiklendt, PG Dinning & JW Arkwright | The use of fibre optic sensing technology with intraluminal impedance catheter for functional gastrointestinal motility disorders | 31 (15) |
| C Davis, S Galea, P Norman, M Knowles, C Rosalie, N Rajic, G McAdam, H Ebendorff-Heidepriem, T Monro & R Kostecki | Invited: Monitoring the structural health of defence platforms with optical fibres | 24 |
| G Allwood, G Wild & S Hinckley | Optical fibre Bragg grating sensor based reed switch for physical intrusion detection | 33 (2) |
| B Mikel, R Helan, M Holik, J Hrabina, M Jelinek & O Cip | Preparation and measurement of FBG based length, temperature and vibration sensors | 32 (13) |
| | Optic Sensing 1 | |
| S Raj, R Ward, R Fleddermann, L Roberts, SP Francis, DE McClelland, C Smith & DA Shaddock | Space debris tracking using continuous wave lasers | 40 |
| M Hamilton, H Luo & T Chambers | A polarimetric back-scatter sonde for determining cloud phase | 37 |
| D Shaddock | Invited: LISA Pathfinder and beyond: laser interferometry in space | 24 |
| T Chambers, M Hamilton & I Reid | Development of a digital holographic imager for the study of cloud microphysics | 41 |
| O Henderson-Sapir, DJ Ottaway & J Anstie | CO ₂ sensing for mining applications using Er:ZBLAN, 2.8 µm fibre laser | 38 |
| S Manning, BA Clare, KJ Grant & KA Mudge | Development and implementation of a robust angle of arrival turbulence measurement system | 40 |
| S Ngo, R Fleddermann, F Rigaut, MB Gray & DA Shaddock | Digitally enhanced homodyne interferometry fibre systems for co-phasing large segmented telescopes | 40 |
| | ACOFT Biophotonics | |
| E Schartner, MR Henderson, M Purdey, TM Monro, PG Gill & DF Callen | Invited: Cancer margin detection using a pH sensitive optical fibre sensor | 25 |
| JH Firth, L Silvestri, NH Lovell & F Ladouceur | Development of a novel optical electrode for biopotential recording | 36 (8) |
| M Ploscher | Invited: Current challenges in imaging modalities using multimode fibre | 26 |
| PG Dinning, L Wiklendt & JW Arkwright | Clinical results from fibre Bragg grating based in-vivo diagnostic catheters | 35 (4) |
| R McLaughlin | Invited: A microscope-in-a-needle: OCT and fluorescence needle probes | 27 |
| | Lasers | |
| C J Saraceno, F Emaury, A Diebold, M Golling, T Südmeyer & U Keller | High-power modelocked thin disk lasers | |
| M Ganija, N Simakov, A Hemming, J Haub, J Munch & PJ Veitch | A cryogenic Ho: YAG laser | 37 |
| LM Harris, DJ Ottaway & PJ Veitch | Short-pulse 1645nm Er: YAG lasers | 37 |



| | | |
|--|--|--------|
| A Choudhary, B Morrison, D Marpaung, K Vu, B Luther-Davies, S Madden & BJ Eggleton | A low-threshold Brillouin laser in a chalcogenide waveguide | 31 |
| DG Lancaster, VJ Stevens, V Michaud-Belleau, S Gross & TM Monro | Watt-level holmium guided-wave chip laser for mode-locking and single frequency application | 33 |
| JMO Daniel | Widely tunable thulium fibre sources for medical, industrial and scientific applications | 35 (7) |
| L Hildebrandt, J Scheuermann, M von Edlinger, R Weih, L Nähle, M Fischer, J Koeth, M Kamp & S Höfling | Single-mode interband cascade lasers for spectroscopic applications | 37 |
| NGR Broderick, J Kho, MC Simpson, R Provo, JD Harvey, T Killen & Q Li | First demonstration of complete spectral control of optical pulses at 1 micron | 38 |
| | Materials & Plasmonics | |
| JJ Cadusch, E Panchenko, TD James & A Roberts | A plasmonic photodiode for direct polarisation state readout | 35 |
| KE Chong, I Staude, L Wang, A James, J Dominguez, S Liu, S Campione, GS Subramania, TS Luk, M Decker, DN Neshev, I Brener & YS Kivshar | Wavefront control with metadevices based on all-dielectric Huygens metasurfaces | 36 |
| A Roberts | Superchiral optical near-fields | |
| SK Earl, M Berger, T Schumacher, DE Gomez, TD James, M Lippitz & A Roberts | Efficient coupling between optical nano-antennas & nanoscale quantum dot aggregates | 41 |
| P Jia, Jun Yang & H Ebendorff-Heidepriem | Freestanding metal nanohole membrane fabricated by template transfer with a soluble adhesive | 38 |
| H Lu & M Gu | Selective absorption of light in monolayer graphene by excitation of graphene plasmons | 34 |
| A Roberts, K Singh & TJ Davis | Metasurface optical transfer functions | 32 |
| JMM Hall, S Afshar, VT Reynolds, MR Henderson, A François, N Riesen & TM Monro | Multilayer resonator sensitivity analysis | 36 |
| | Quantum Optics 2 | |
| M Doherty | Invited: Diamond quantum microscopy | 26 |
| S Slussarenko, MM Weston, S Wollmann, HM Chrzanowski & GJ Pryde | High heralding efficiency single photon source for quantum information science applications | 40 |
| AA Wood, Y Fein, LCL Hollenberg, RE Scholten & AM Martin | Measurement of geometric phase with rotating nitrogen-vacancy centres | 31 |
| MJ Yap, TG McRae, AR Wade, GL Mansell, SSY Chua, BJJ Slagmolen, RL Ward, DA Shaddock & DE McClelland | A vacuum compatible glass based squeezed light source | 37 |
| M Lobino, M Ghadimi, V Blums, BG Norton, P Fisher, H Hayden, JM Amini, C Volin, D Kielpinski & EW Streed | Scalable trapped-ion single-photon source with monolithically integrated optics | 37 |
| S Hoinka, P Dyke, M Lingham, K Fenech, P Hannaford & CJ Vale | Low-momentum Bragg spectroscopy of a strongly interacting Fermi gas | 40 |



| | | |
|---|---|---------|
| X Zhang, Z Liu, M J Collins, A Mahendra, D-Y Choi, C J Chae, PHW Leong, BJ Eggleton & C Xiong | Active temporal multiplexing of indistinguishable heralded single photons from silicon | 41 |
| THURSDAY 3 DECEMBER | | |
| C Jagadish | Plenary: Semiconductor nanowires for optoelectronics and energy applications | 19 |
| E Hinds | Plenary: Testing fundamental physics with cold atoms | 20 |
| POSTERS | | |
| A McKay, DW Coutts, DJ Spence & RP Mildren | Beam combining using diamond Raman amplifiers | 44 |
| A McCulloch, RPM Tielen, BM Sparkes, KA Nugent & RE Scholten | Ultracold electron and ion beams from a lasercooled neutral atom beam | 44 |
| A Hossain, J Canning, K Cook & A Jamalipour | Smartphone laser beam profiler | 44 |
| A Hossain, J Canning, K Cook & A Jamalipour | Smartphone spectrometer with fiber endoscope probe | 44 |
| B Entwisle, S McMullan, P Bokiniac, S Gross, R Chung & MJ Withford | Increased synaptic activity induced by infrared laser radiation in vitro | 44 |
| B Clare, S Manning, KJ Grant & KA Mudge | Laser signaling system for the RAN | 44 |
| B Clare, D Bulla, KJ Grant & KA Mudge | Development of a 4-pixel modulating retroreflector | 44 |
| C Bandutunga, R Fleddermann, MB Gray, JD Close & JH Chow | Integrating optical sensors in acoustic systems | 44 |
| D McManus, MJ Yap, RL Ward, BJJ Slagmolen, DA Shaddock & DE McClelland | Torsion pendulum low-frequency gravitational-force sensor | 44 |
| D Bogunovic, SG Raymond & C Simpson | Tunable volume holographic gratings in chromophore doped polymers | 45 |
| El-Abed Haidar, CM de Sterke & BJ Eggleton | Theoretical study of tuning fourwave mixing phase matching by Stimulated Brillouin Scattering | 45 (24) |
| E Streed | Charged nanodiamonds in a Paul trap | 45 |
| G Chen, DG Lancaster & T Monro | Angle-resolved characterization of optical fiber preparation techniques | 45 (21) |
| H Jasbeer, RJ Williams, O Kitzler, A McKay, J Lin & RP Mildren | Effect of birefringence on the performance of CW external-cavity diamond Raman laser | 45 |
| H Luan & M Gu | Femtosecond laser processing for high efficiency large scale thin-film A-Si solar cells | 45 |
| H Luo, M Hamilton & A MacKinnon | Scattering phase function measurement of ice crystals | 45 |
| J Hrabina, M Sarbort, OAccef, F Du-Burck, M Zucco, M Hola, B Mikel, O Cip & J Lazar | Iodine cells with certain saturation pressures | 45 |
| J Canning, W Liu, K Cook, A Zareanborji, Y Luo & G-D Peng | Recovery of rare earth doped gain coefficients with high temperature annealing | 46 |
| J Hall, S Afshar, VMR Henderson, A François, N Riesen, T Reynolds & TM Monro | Microbubble resonator simulation using FDTD | 46 |
| C McMahan & DM Kane | Science database from nonlinear laser systems: A big-data open-access research resource | 46 |



| | | |
|---|--|---------|
| K Singh, P Achmari, T James, T Davis & A Roberts | Subradiant modes in a periodic array of silver nanorod trimers and tetramers | 46 |
| K Mudge, KJ Grant, BA Clare, CL Biggs, W G Cowley & S Manning | Experimental characterisation of an FPGA optical modem with atmospheric fading | 46 |
| K Cook, J Canning, S Leon-Saval, Z Reid, Md Arafat Hossain, JE Comatti, Y Luo & GD Peng | Optical fibre fabricated from a 3D-printed preform | 46 (23) |
| L Chavez-Guerrero, P Jimenez-Vara, S Sepulveda-Guzman & C Rodriguez-Liñan | Agave pulp nanocellulose film decorated with gold nanostructures for improved SERS sensing | 46 |
| M Samokhina, D Little & DM Kane | Do some spider silks suppress light scatter at shorter wavelengths? | 47 |
| ML Castanares, J Drury, H-A Bachor & VR Daria | Improving holographic multisite fluorescence excitation via temporal gating | 47 |
| M Ganija, S Hollitt, J Munch & PJ Veitch | An investigation of diode pumped, cryogenically cooled Er:YAG lasers | 47 |
| MH Mustary, DE Laban, JBO Wood, IV Litvinyuk & RT Sang | Phase shifts in HHG of isotopes using the Gouy phase interferometer technique | 47 |
| N Riesen, A François, T Reynold, MR Henderson & TM Monro | On the fundamental limits of far-field detection of the WGMS of active microspheres | 47 |
| MNMN Perera, D Schmidt, WEK Gibbs & PR Stoddart | Modeling effective optical constants of nanostructured silver films | 47 |
| R Guo, C McGoverin, S Choi, C Tuffnell, S Swift & F Vanholsbeeck | A study of acridine orange to detect bacteria in solution using fluorescence spectroscopy | 47 |
| MDR Kaysir, S Fleming, RW MacQueen, TW Schmidt & A Argyros | Characterization of optical gain in perylene red-doped PMMA | 47 (25) |
| RI Khakimov, AG Manning, RG Dall & AG Truscott | Single-atom source in the picokelvin regime | 48 |
| SL Doolette, J Quinton & BL Rogers | Classification of organic materials with laser induced breakdown spectroscopy | 48 |
| S Manning, KJ Grant, BA Clare & KA Mudge | A dynamic multicoloured quick response code for science outreach | 48 |
| G Moffa, W Rogers, S Afshar, H Ebendorff-Heidepriem, R Ghomaschi & Z Xie | Optimisation of rare-earth materials for laser cooling | 48 |
| SA Curtis | A climatology of clouds over Adelaide | 48 |
| S Shashidharan, S Ghatrehsamani & GE Town | Dual-core POF and its application in pressure sensing | 48 (26) |
| K Srijith, R Sarathi & B Srinivasan | Locating partial discharges in power transformers using fiber Bragg gratings | 48 (27) |
| B Thotath, TH Nguyen, W Zhang, GW Baxter, T Sun, SF Collins & KTV Grattan | Intrinsic determination of pH using a barycentre algorithm to characterise fluorescence from an optical fibre sensor | 48 (22) |
| V Gautam, J Drury, J Choy, C Stricker, H Bachor & V Daria | Optimising two-photon imaging of living neurons in brain tissue | 48 |
| | The following paper is in Informit, but not listed in program | |
| A François, N Riesen, T Reynolds, JMM Hall, MR. Henderson, E Zhao, AV Shahraam & TM Monro | Combining whispering gallery mode lasers and microstructured optical fibres for in-vivo biosensing applications | (9) |

*AOS provides this document as a service to the community, but accepts no responsibility for any errors it might contain

