## 19th Australian Conference on Optical Fibre Technology Melbourne, 4-7 December 1994



Proceeding were published by IREE, Edgecliff NSW

ISBN: 0 909 394 36 9

The Australian Optical Society (AOS) has digitised the contents/index pages of this conference\*.

The conference volume contains the individual papers, and is held by one or more libraries in Australia; please refer to the website:

http://optics.org.au/ACOFT

Authors	Paper title	Page
I Boatman	The role of optical fibre in evolving networks	1
M Sceats	Photonics research and development in Australia - an overview	2
R Wyatt	Recent advances in 1.3µm optical fibre amplifiers	3
Y T Chieng & G J Cowle	An all-optical relaxation oscillation damping technique for	4
	tunable erbium-doped fibre lasers	
Y Zhao, S Fleming & S B	High efficiency blue Pr <sup>3+</sup> -doped fibre laser with optimised	8
Poole	output coupling	
S J Frisken & R A Betts	Pump induced modulation of fibre lasers	12
T Holloway & D D	Design and performance of high power broadband ASE sources	15
Sampson	for spectrum-sliced WDM systems	
T Stephens	Modelling and analysis of high bit rate systems	20
F F Ruhl & J Gillies	10 Gbit/s transmission over 259km with a single in-line	21
	amplifier	
T Stephens & J H Manger	Dispersion supported transmission (DST) at 10 Gbit/s:	25
	Computer simulations, practical implications	
D G Schadt	Suppression of stimulated Raman scattering with the help of	29
	mid span spectral inversion	
C Menyuk	Solitons in optical fibers with randomly varying birefringence	33
J P R Lacey, M A	All-optical transmultiplexers	37
Summerfield, R S Tucker		
& A J Lowery		
K E Alameh & R A	Hardware-compressed photonic beamformer architecture for	41
Minasian & N Fourikis	multi-beam active phased arrays	
J W Arkwright, B Gillhoff,	Demonstration of an optical-to-electrical demultiplexing	45
P M Allen, P L Chu, T W	detector using critically fabricated twin-core fibre	
Whitbread, B Wu, S J		
Hewlett, J D Love, G R		
Atkins, S B Poole, M G		
Sceats & D A Thorncraft		
A V Buryak & Y S Kivshar	Bright and dark solitons due to cascaded second-order effects	49
H He & P Drummond	Simultons in a parametric waveguide	53



H T Tram, R A Sammut & W Samir	Photonics with light beams of different frequencies	57
T M Feletto, C M de	Self-written waveguides	61
A Ankiewicz, N N Akhmediev & G-D Peng	Stationary soliton states in couplers with saturable nonlinearity	65
J W Arkwright, I M	Fast relaxation of the resonant nonlinearity in neodymium	69
S G Murdoch, R	Modulation instability in birefringent fibres	73
N Akhmediev & M	Cherenkov radiation by solitons in optical fibres	77
K C Chan, K A Ahmed & H	Suppression of the effect of third-order dispersion on soliton-	81
M Haelterman, A Sheppard & S Trillo	Polarisation domain solitons in fibre transmission systems	85
BKim	Fiber sensors based on fiber lasers and amplifiers	89
I Canning & M G Sceats	Very narrow band optical fibre transmission filters	93
G Town, K Sugden, J Williams, I Bennion & S B Poole	In-fibre wideband Fabry-Perot filters	97
S J Hewlett, J D Love,.G Meltz, T J Bailey & W W Morey	Cladding-mode coupling characteristics of UV-written Bragg gratings in hydrogen-loaded, depressed-cladding fibre	101
M Saruwatari	Ultrahigh-speed optical fiber transmission technologies	105
A C Fischer	Lightwave polarisation analyser	106
J Zhu	Infrared pulse generation using a subpicosecond OPO	110
D Henderson	Connector innovations in fibre optics	114
M J L Cahill & D D Sampson	New wavelength-tunable, picosecond pulse source	118
K J Hinton	Mock equations for laser diode output	122
S Suzuki	Photonic switching systems	126
G J Lampard, B R Clarke & B M Smith	Optical fibre in the access network - past visions and present realities	130
K Kannan	Trunk and local access transport network architectures for synchronous digital hierarchy	134
A J Keating & A J Lowery	Characterisation of a wavelength stabilisation scheme for packet-switched WDM-networks	138
G W Baxter, E Maurice, G Monnom & D B Ostrowsky	Development of an intrinsic optical fibre point temperature sensor using the green fluorescence intensity ratio in Er-doped silica fibre	142
S A Wade & S F Collins	Temperature sensing using the absorption shift in Nd <sup>3+</sup> -doped optical fibre at 595nm	146
S C Kaddu, S F Collins & D J Booth	A large operating range optical fibre temperature sensor employing low coherence interferometry	150
W C Vance & J D Love	Back-reflexion from fused biconic couplers	154
P K Lam, A J Stevenson & J D Love	Coupling suppression by periodic index modulation in single- mode couplers	158
A L Ye, G D Peng & P L Chu	Polarisation maintaining couplers using BISPEC fibres	162
J Nayyer, H Nagata, M Yamada & T Kitazawa	Proposal of an asymmetric Mach-Zehnder structure with improved optical modulation characteristics	166



A C Lindsay, G K Knight &	A photonic 20 GHz bandwidth microwave mixer and SUPERHET	170
S I Winnall	receiver	474
C Desem	Composite second order distortion due to self-phase modulation in optical AM-SCM systems operating at 1550pm	1/4
TAnderson	Clipping induced errors in hybrid analogue/digital ontical	178
T Anderson	transmission systems	170
E Y B Pun. L P Shi & P S	KTiOPO₄ optical waveguides using Rb <sup>+</sup> :K <sup>+</sup> ion-exchange process	182
Chung		
H P Chan, S Y Cheng & P S	A low-loss wide-angle Y-branch waveguide	186
Chung		
P M Allen, M Bazylenko, P	Fabrication of silica-based waveguides using the MCVD method	190
L Chu. E Gauia. M Gross &		
T W Whitbread		
Y B Boiko, M Samoc, A	Polymer dye-doped photoconducting waveguides: Optical	194
Samoc, M Woodruff, W	losses and photoconducting sensitivity	
Krolikski, B Luther-Davies		
& R Chaplin		
G Smith & P Axon	Temperature measurements and analysis of an optical fibre	198
	reflectometer with thin film amorphous semiconductor	
	interface	
N Y R Caranto, M M	A fusion-spliced birefringent fibre Fabry-Perot interferometric	202
Murphy & D J Booth	temperature sensor	
S J Hewlett & F Ladouceur	Modified Fourier decomposition method: numerical analysis of	206
	dielectric waveguides	
M Vlassis, K M Lo & R C	Scalar modes down to cutoff	210
McPhedran		
A V Buryak & N	Influence of radiation on soliton dynamics in nonlinear fibre	214
Akhmediev	couplers	
G D Peng, X Lou, P L Chu	Polymer optical fibre for all-optical devices	218
& R A Chaplin		
P Elango & P L Chu	Ultra-fast nonlinear refractive index dynamics in erbium doped	222
	silica fibre	
H Hatami-Hanza & P L	Logic operations in dispersion mismatched nonlinear fibre	226
Chu	couplers	
H Hatami-Hanza & P L	Soliton-effect pulse compression in nonlinear twin core fiber	230
Chu	couplers: Pulse shaping	
A V Buryak & N	Internal friction and inelastic interaction between solitons in	234
Akhmediev	near-Kerr nonlinear media	
N G R Brodenck & C M de	Examination of interface effects on gap soliton propagation	238
Sterke	using an effective particle picture	
V V Afanasjev, Y S Kivshar	Splitting of high-order optical solitons under the action of two-	242
& J S Aitchison	photon absorption	
W Krolikowski & Y S	Soliton-based optical switching in waveguide arrays	246
Kivshar		
C M de Sterke & D G	Nonlinear optics in deep gratings	250
Salinas		
P Roberts & G Town	Travelling-wave filter design using inverse scattering	254
D B Hunter & R A	An optical fibre transversal filter signal processor using grating	258
Minasian	reflectors	
G W Yotte, P A Krug & F	Temperature compensating mounts for optical fibre Bragg	262
Ouellette	gratings	



S J Frisken	Dispersion compensation using long pitch gratings	265
M Orishi, Y Ishiguro, Y	High performance dispersion compensating fibre	270
Yoyano, M Nishimura, H		
Kanamori & F Mizutani		
G R Atkins, J W Arkwright	Tuning of coupling in twin-core fibres with UV light	274
& S J Hewlett		
W M Henry & J D Love	Asymmetric multimode Y-junction splitters	278
J D Love & V Steblina	Highly broadband buried channel couplers	282
S Sanaei, P L Chu, A C	Coupling properties of asymmetric singlemode-to-multimode	285
Lindsay & J Arkwright	fibre couplers	
R A Betts, S J Frisken & D	The split-beam Fourier filter and its application as a mid-stage	290
Wong	filter in a high performance EDFA	
E C Magi	Degradation in performance of passive homodyne	294
_	demodulation schemes due to polarisation induced phase jitter	
	of 3x3 couplers	
A J Cummings & P Axon	Virtual optical LANS within a dynamic wavelength allocation	298
	network	
P C R Gurney & A J	Dynamics of an all-optical clock recovery system	302
Lowery		
T I Yuk, K W Tse & T W Lui	Dynamic time slot allocation in BUS-MESH wavelength	306
	multiplexed LAN	
Y Saito & Y Yamazaki	Ribbon-slotted-core optical fibre cable for subscriber loop	310
A Kaczmarski	Monitoring trial on all-dielectric, self-supporting, optical cables	314
	for power line use in Australia	
M Gu, H Zhou & C J R	Fibre-optical confocal scanning interferometry	318
Sheppard		
	The application of fibro optic confecal lacer scapping	222
ZLXU&IBKIRK	The application of fibre-optic comocal laser scatting	322
	microscopy (FOCLSM) to the analysis of wear particle from	322
Z L XU & T B KIRK	microscopy (FOCLSM) to the analysis of wear particle from machinery	322
C Henry	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides	322
C Henry M V Bazylenko, M Gross,	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD	326 329
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides	322 326 329
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides Photo-induced planar germanosilicate waveguides	322 326 329 333
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides Photo-induced planar germanosilicate waveguides	326 329 333
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides Photo-induced planar germanosilicate waveguides	326 329 333
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides Photo-induced planar germanosilicate waveguides	326 329 333
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C	microscopy (FOCLSM) to the analysis of wear particle from machinery Silica planar waveguides Fabrication of low temperature low loss pure silica core PECVD channel waveguides Photo-induced planar germanosilicate waveguides Waveguide formation by germanium ion implantation in fused	326 329 333 337
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> </ul>	326 329 333 337
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> </ul>	326 329 333 337
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> </ul>	326 329 333 337 341
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> </ul>	326 329 333 337 341 347
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random</li> </ul>	326 329 333 337 337 341 347 351
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> </ul>	322 326 329 333 333 337 341 347 351
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion</li> </ul>	326 329 333 333 337 341 347 351 355
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> </ul>	326 329 333 333 337 341 347 351 355
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed,	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm</li> </ul>	322 326 329 333 333 337 337 341 347 351 355 359
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed, F Ouellette, P A Krug & H-	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm using 40mm long chirped optical fibre Bragg gratings</li> </ul>	322 326 329 333 333 337 337 341 347 351 355 359
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed, F Ouellette, P A Krug & H- F Liu	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm using 40mm long chirped optical fibre Bragg gratings</li> </ul>	326 329 333 333 337 337 341 347 351 355 359
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed, F Ouellette, P A Krug & H- F Liu K A Ahmed & H F Liu	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm using 40mm long chirped optical fibre Bragg gratings</li> <li>185 fs pedestal free optical pulse generation from a</li> </ul>	322 326 329 333 333 337 337 341 347 351 355 355 359 363
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed, F Ouellette, P A Krug & H- F Liu K A Ahmed & H F Liu	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm using 40mm long chirped optical fibre Bragg gratings</li> <li>185 fs pedestal free optical pulse generation from a semiconductor laser using the soliton-effect pulse compression</li> </ul>	322 326 329 333 333 337 341 347 351 355 359 363
C Henry M V Bazylenko, M Gross, P M Allen & P L Chu D Moss, M Ibsen, F Ouellette, P Leech, M Faith, P Kemeny, O Leistiko & C V Poulsen P W Leech, M Faith, P C Kemeny, M Ridgway & R G Elliman G S Glaesemann F Pirio T Sekito, Y Yamazaki & Y Saito N Q Ngo, L N Binh & X Dai B J Eggleton, K A Ahmed, F Ouellette, P A Krug & H- F Liu K A Ahmed & H F Liu D-S Seo & M-W Lee	<ul> <li>microscopy (FOCLSM) to the analysis of wear particle from machinery</li> <li>Silica planar waveguides</li> <li>Fabrication of low temperature low loss pure silica core PECVD channel waveguides</li> <li>Photo-induced planar germanosilicate waveguides</li> <li>Waveguide formation by germanium ion implantation in fused silica</li> <li>Fiber reliability modeling for multiple stress-time histories</li> <li>Transoceanic amplified submarine systems</li> <li>Bending induced polarization mode dispersion with random mode coupling</li> <li>Eigenfilter approach for designing FIR all-pass optical dispersion compensators for high-speed long-haul systems</li> <li>10km of fibre chromatic dispersion compensation at 1.55mm using 40mm long chirped optical fibre Bragg gratings</li> <li>185 fs pedestal free optical pulse generation from a semiconductor laser using the soliton-effect pulse compression</li> <li>A stable propagation regime of soliton pulse trains in fibers with</li> </ul>	322 326 329 333 333 337 341 347 351 355 355 359 363 363



M J Steel & C M de Sterke	Parametric amplification in Bragg gratings	371
N Akasaka, T Hattori, T	Design of optical fiber coating	375
Nonaka, K Oishi, Y		
Matsuda & I Williamson		
A L G Carter & M B	A new technique for studying microheterogeneity in optical	379
Berkahn, M G Sceats & S	fibre cores	
B Poole		
K S Chiang	Equivalent step-index (ESI) fibres with matched Petermann spot	383
	sizes	

\*AOS provides this document as a service to the community, but accepts no responsibility for any errors it might contain.

