
## 24th Australian Conference on Optical Fibre Technology Sydney, 4-9 July 1999



Proceeding were published by IREE, Milsons Point NSW

ISBN: 0 909394 46 6

The Australian Optical Society (AOS) has digitised the contents/index pages of this conference\*.

The conference volume contains the individual papers, and is held by one or more libraries in Australia; please refer to the website:

http://optics.org.au/ACOFT

| Authors   | Paper title   | Page |
|---|---|------|
| N J Doran, W Forysiak, P<br>Harper, S B Alleston, S | The dispersion management of solitons   | 1    |
| Turitsyn & D Govan                                  |   |      |
| R M De La Rue, C J M                                | Waveguide photonic crystals and microstructures   | 6    |
| Smith, C d W Wilkinson, T                           |   |      |
| F Krauss, H Benisty, C                              |   |      |
| Weisbuch, D Labilloy, U                             |   |      |
| Oesterle, M Illegems, R                             |   |      |
| Houdre, V N Astrtov & M<br>S Skolnik                |   |      |
| K Gaff, R Jarvis, J D Love,                         | Photosensitive Sn-doped & Ge-doped silica films produced by                                 | 14   |
| H Timmers, T Weijers, R G                           | helicon activated reactive evaporation  |      |
| Elliman, T Ophel, A                                 | ·   |      |
| Durandet & R Boswell                                |   |      |
| M Bazylenko, B Wu & A                               | Annealing properties of HC-PECVD germanosilica and their                                    | 18   |
| Ankiewicz   | application to device post-tuning   |      |
| J Canning & M Aslund                                | Applications of CO₂ laser processing of optical waveguides                                  | 22   |
| C Lim, A Nirmalathas & D                            | Effect of laser spectral characteristics on dispersion induced RF                           | 25   |
| Novak   | power penalties   |      |
| S T Winnall & A C Lindsay                           | DFB semiconductor diode laser frequency stabilisation                                       | 29   |
|   | employing electronic feedback and Bragg grating Fabry-Perot                                 |      |
| M Premarame & A J                                   | interferometer  Woodlangth conversion performance of fibra grating outcome!                 | 33   |
| Lowery,   | Wavelength conversion performance of fibre-grating external-<br>cavity semiconductor lasers | 33   |
| B J Eggleton, J A Rogers &                          | Tunable fiber grating devices for high speed WDM lightwave                                  | 37   |
| T A Strasser  | networks  | 37   |
| R Kurebayashi, T Ogata, S                           | 320Gb/s (32 x 10.8Gb/s) transoceanic DWDM transmission                                      | 41   |
| Ishii, N Yasuda, Y Taneda,                          | using newly developed hybrid pumped EDFA and submarine                                      |      |
| K Yoneyama & Y Aoki                                 | LEAF fiber  |      |
| C Lim, A Nirmalathas, D                             | A millimetre-wave full-duplex fibre-radio system incorporating                              | 45   |
| Novak & R Waterhouse,                               | baseband data transmission  |      |



| L G Luo, P L Chu & H F Liu   | Optical secure communications with 1 GHz bandwidth using erbium doped chaotic fiber lasers                              | 49  |
|--|---|-----|
| S J Madden   | High performance modular DWDM implementation based on fibre Bragg grating Mach-Zehnder interferometers                  | 53  |
| A Ankiewicz, N N<br>Akhmediev & P L Chu,   | New approach to stability of 2D beams in nonlinear media  | 56  |
| P Blazkiewicz & G E Town   | Effect of UV and thermal pretreatment on the formation of seeded second-harmonic and optical damage threshold formation | 60  |
| A V Buryak, V V Steblina,<br>R A Sammut, M Segev, D<br>Zhou & P Prucnal                  | Stable solitons due to three-wave mixing of two optical harmonics and low-frequency wave                                | 64  |
| A A Sukhorukov, Y S<br>Kivshar & O Bang  | Two-colour localised photonic modes   | 68  |
| K Y Kolossovski, A V<br>Buryak & R A Sammut  | Stability of quadratic solitons in a counterpropagating configuration   | 72  |
| V Albanis B Luther-<br>Davies, K MacDonald, A V<br>Rode & N L Zheludev                   | Gigantic optical nonlinearity of gallium films deposited by ultrafast laser ablation                                    | 76  |
| W Xu, D Wong & S<br>Fleming  | Dynamic of negative thermal poling process in germanosilicate fibres  | 80  |
| S T Huntington, S Ashby, J<br>D Love & M Elias   | Direct measurement and modelling of core dopant diffusion within fused biconical fibre couplers                         | 84  |
| D Y Stepanov, A Graf & Z<br>M Brodzeli   | Distributed-feedback Er-doped fiber laser with passive wavelength stabilisation   | 88  |
| J M Soto-Crespo, N N<br>Akhmediev, B C Collings,<br>S T Cundiff, K Bergman &<br>W H Knox | Polarisation-locked temporal vector solitons in a fiber laser   | 91  |
| M J L Cahill & R S Tucker  | 2R optoelectronic wavelength converters with excess bandwidth   | 95  |
| Y S Visagathilagar, A<br>Mitchell & R Waterhouse,  | Resonantly enhanced Mach-Zehnder interferometer modulators  | 99  |
| B C Thomsen, L P Barry, J<br>M Dudley & J D Harvey                                       | A highly sensitive optical sampling oscilloscope at 1.5μm based on a commercial InGaAsP 1.3μm laser diode               | 103 |
| L P Barry, B C Thomsen & J D Harvey  | OTDM bus network design using a two-photon-absorption based optoelectronic demultiplexer                                | 107 |
| W D Zhong, A Tran & R S<br>Tucker  | A self-healing bidirectional WDM ring network using wavelengths for protection  | 111 |
| M J L Cahill, G J Pendock<br>& D D Sampson   | A quantitative comparison of coherence multiplexing transmission formats for customer access                            | 115 |
| L Poladian   | Profile induced group delay ripple in Bragg grating dispersion compensators   | 119 |
| Z M Brodzeli & D Y<br>Stepanov   | Direct observation of optical fibre densification under UV irradiation  | 123 |
| K Hinton   | Dispersion compensation grating system design issues  | 127 |
| G W Yoffe, K E Alameh & R A Minasian   | Superposed WDM fibre grating unit for short time delay processing of signals  | 131 |
| Z Xiong, G D Peng, B Wu<br>& P L Chu   | 73 nm wavelength tuning in polymer optical fiber Bragg gratings   | 135 |
| B Wu, P L Chu, H Hu & Z<br>Xiong   | UV written Bragg gratings on LiNbO₃ channel waveguides  | 139 |



| A E Ash, M W Austin & J D | Analysis of curved waveguide sections using the scalar beam            | 143 |
|---------------------------|--|-----|
| Love,                     | propagation method in a conjunction with conformal mapping             |     |
| D Y Stepanov & Z M        | Broadband fixed optical fibre attenuator                               | 147 |
| Brodzeli                  |  |     |
| P S Mistry,J M Dudley & J | Characterisation of the longitudinal variation of gain and             | 151 |
| D Harvey                  | resonant dispersion in erbium-doped fibre amplifiers                   |     |
| A Ankiewicz & N N         | Kinks in optical fibers with higher order effects                      | 155 |
| Akhmediev                 |  |     |
| K J Grant & P L Krug      | Mode coupling in multimode fibres with UV-written gratings             | 159 |
| M Premarame & A J         | Nearly degenerate four-wave mixing in fibre-grating external-          | 163 |
| Lowery                    | cavity semiconductor lasers  |     |
| T K Gangopadhyay, G E     | Noncontact vibration monitoring technique using a single-mode          | 167 |
| Town & A D Stokes         | fiber sensor   |     |
| G K Atkins, M Krolikowska | Optical properties of organically-modified silica films                | 171 |
| & A Samoc                 |  |     |
| I Bassett & J Haywood,    | Optical signal processing scheme for a passive 3x3 Sagnac              | 175 |
|                           | interferometer   |     |
| H Hu, P L Chu & T W       | Optical source with variable spectral width for low coherence          | 179 |
| Whitbread                 | reflectometry  |     |
| A De Francesco & G E      | Photo-induced charge separation steady-state electric field in         | 183 |
| Town                      | UV-poled germanosilicate optical fibre                                 |     |
| S-H Choi & R G Elliman    | Photo-induced charging effects in SiO <sub>2</sub> films containing Si | 187 |
|                           | nanocrystals   |     |
| A Sukhorukov & A          | Photo-refractive incoherent solitons                                   | 191 |
| Akhmediev                 |  |     |
| S A Wade, S F Collins, G  | Rare-earth doped fibres for fluorescence-based temperature             | 195 |
| W Baxter, G Monnom & E    | sensing  |     |
| Maurice                   |  |     |
| E P Ippem                 | Femtosecond optics: Recent advances and applications                   | 200 |
| D N Payne                 | Optical communication: Past, present, future                           | 201 |
| D R Williams              | Adaptive optics for the human eye                                      | 203 |
| N You & R A Minasian      | A novel high-Q hybrid optical microwave processor                      | 204 |
| K E Alameh & R A          | High capacity minimum interconnect frequency                           | 208 |
| Minasian                  | downconverting optical beamformers for phased arrays                   |     |
|                           | . ,  |     |

<sup>\*</sup>AOS provides this document as a service to the community, but accepts no responsibility for any errors it might contain.